







2011

Gas and Charcoal Barbecues
Patio Heaters
Camping Articles
Aluminium Boxes





Welcome to the World of Enders Outdoor and Leisure Products!

The Enders catalogue 2011 will show you the new world of Enders Outdoor and Leisure Products. Whatever you want to do outside, the Enders products guarantee you high level comfort and performance outdoor or on your travels

The Catalogue offers you a clear overview of all products from the Enders range Gas and Charcoal Barbecues for culinary highlights under the stars

Gas and Charcoal Barbecues

For culinary highlights under the stars

Patio Heaters

For cuddly warmth by cold temperatures

Camping articles

As perfect and safe equipment for every outdoor demand

Aluminum boxes

For storage and safe transport of sensitive objects

Since 1883 when our company was founded we have become a specialist in our Outdoor living product categories, which includes camping equipment, Patio Heaters, barbecues and aluminum boxes, But more than ever we ensure a clean energy balance of our gas products to be modern , attractive and functional in design

Enders gas products - more eco-friendly

Our gas products have a sophisticated technology - which lowers costs and CO2 emissions. You have that good feeling to help the environment!

Enders Design - Acclaimed!

We'd like to meet our everyday objects of everyday life with our high expectations of a sophisticated design. For this we have won several awards:

The prestigious "Red Dot Award" for the gas grill Manhattan and with the "caravanning design award" for the camping toilet "Mobil WC Deluxe".

From the low cost value version to the high-end professional application - for every need, Enders has the product for you

Connecting tradition and innovation is our way and is the philosophy behind our brand



Your Enders Colsman Team









reddot design award honourable mention 2010



CONTENT









Gas and charcoal Barbecues

For culinary highlights under the stars

Page 4 - 29

Patio Heaters

For cuddly warmth by cold temeratures

Page 30 - 51

Camping Articles

As a perfect and safe equiment for every outdoor demand

Page 52 - 69

Aluminium Boxes

For storage and safe transport of sensitive subjects

Page 70 - 75



MANHATTAN / MANHATTAN S
Design Outdoor kitchen, 2 flames



reddot design award honourable mention 2010

Grill hood and gas cylinder (5 or 11 kg) can be stored in

the grill's lower cabinet



Item No.

8045

Item No.

8048

Manhattan S as item 8045 However, back side made from Steel, Without weather protection cover, wind shield and wind hood



Double-walled and decreasing adjustable stainless steel grill

hood with thermometer



Spray protection



2 Gease dripping tray





Top, door, grill hood and back side made from brushed stainless steel



Performance max. 7kW 2 x 3,5kW each burner



Piezo ignition integrated in the adjustment knob



including pressure regulator and connecting hose



Consumption 507 g/h max.



Dimension when set up 90 x 106 x 62 cm



Height of working surface 90 cm



2 stainless steel burner fully adjustable



Enamelled grill rack 37 x 47 cm



Enamelled flame cover



2 grease dripping tray



including weather protection shell



big wheels for easy moving



embedded wooden worktop



can also be used as a shelf.

(220 V or battery)



back of the grill for indirect grilling.




(bottle not included)












max.: 20,5 kW Cooker: 3,5 kW Grill: 12,9 kW Infra red grill: 4,1 kW







Consumption 1.485 g/h max.



Dimension when set up 161 x 122 x 63 cm



Height of working surface



3 cast-iron burners continuously adjustable



Stainless steel warming grill 62 x 18 cm



2 stainless steel grill rack each 31 x 46,5 cm



Flame cover



Grease dripping tray



including weather protection shell



Wheels with locks, waterproof and robust



Outdoor kitchen, 3 flame with additional cooker and infrared back burner


Double-walled grill hood with thermometer.



Including Motor-driven grill split (220 V or battery) and additional infra red grill in the back for indirect grilling.







CE





Addition continuously adjustable gas cooker with protective cover, mounted flush in the side shelf. When protective cover is closed, can also be used as a shelf.





Brushed stainless steel



max.: 20,5 kW cooker: 3,5 kW Grill: 12,9 kW infro red grill: 4,1 kW



With electronic battery operated piezo ignition



including pressure regulator and connecting hose



Consumption 1.485 g/h max.



Dimension when set up 136 x 122 x 63 cm



Height of working surface



3 cast-iron burners continuously adjustable



Stainless steel warming grill $62 \times 18 \text{ cm}$



2 stainless steel grill rack each 31 x 46,5 cm



Flame cover



Grease dripping tray



including weather protection shell (page 31)



Wheels with locks, waterproof and robust



MONROE / MONROE S / MONROE SI Outdoorkitchen, 3 flame













Stainless steel front panel & Hood



Performance max.: 12,6 kW 4,2 kW each burner



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 900 g/h max.



Dimension when set up 135 x 115 x 64 cm



Height of working surface 84 cm



3 stainless steel burner continuously adjustable



Stainless steel warming grill 64 x 12 cm



2 enamelled grill rack je 49 x 32 cm



Flame cover



Grease dripping tray



Wheels with locks, waterproof and robust

MONROE S

Outdoor kitchen, 3 flame with glass window





((

Gas cylinder can be stored in the grill's lower cabinet. (bottel not inculded)

Stainless steel / steel finish



The side shelves that can be folded down as required



Rotisserie retrofitted (page 29)





Stainless steel front panel & Hood



Performance max.: 12,6 kW 4,2 kW each burner



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 900 g/h max.



Dimension when set up 135 x 115 x 64 cm



Height of working surface



3 stainless steel burner continuously adjustable



Stainless steel warming grill 64 x 12 cm



2 enamelled grill rack



Flame cover



Grease dripping tray



Wheels with locks, waterproof and robust

MONROE SI

Outdoor kitchen, 3 flame, with glass window and

infra red grill

Stainless steel grill hood with thermometer and a window made of heat-resistant glass.

Body, shelves and doors made of powder-coated steel

Enders



 ϵ

Gas cylinder can be stored in the grill's lower carbinet (bottel not included)



Infra red grill



The side shelves can be folded down as required



Rotisserie retrofitted (page 29)



INOX

Stainless steel front panel & Hood



Performance max.: 16,2 kW Grill: 12,6 kW (4,2 kW je Brenner) Infrarotgrill: 3,6 kW



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 1223 g/h max.



Dimension when set up 135 x 115 x 64 cm

oganiminisseesimini



Height of working surface



3 stainless steel burner continuously adjustable



Stainless steel warming grill $64 \times 12 \text{ cm}$



2 enamelled grill rack 49 x 32 cm



Flame cover



Grease dripping tray



Wheels with locks, waterproof and robust

Baltimore

Lava stone gas grill, 2 flame





Performance max.: 7,0 kW 3,5 kW each burner



Piezo ignition



including pressure regulator and connecting hose



Consumption 509 g/h max.



Dimension when set up 112 x 56 x 106 cm



Height of working surface



2 stainless steel burner continuously adjustable



Cast iron Grill rack and plate each 24×24 cm



Lava stone rack Chrome



Grease dripping tray



2 wheels, waterproof and robust



inculidng lava stones



Lava stone gas grill, 2-flame



8510









Grill hood with viewing window and wooden handle.





Performance max.: 6,1 kW



Piezo ignition



including pressure regulator and connecting hose



Consumption 440 g/h max.



Dimension when set up 97 x 48 x 101 cm



Height of working surface 81 cm



2 burners continuously adjustable



Chrome grill rack 50 x 32 cm



Chrome lava stone rack



Cup grease trap



2 wheels, robust and waterproof



incl. lava stone (2kg)

FLORIDA

Lava stone grill, 2-flame

Item No.: **8552**

Casing and frame made of powder-coated steel













Performance max.: 7,0 kW 3,5kW each burner



Piezo ignition



including pressure regulator and connecting hose



Consumption 509 g/h max.



Dimension when set up $73 \times 50 \times 80$ cm



Height of working surface 81 cm



2 stainless steel burner continuoussly adjustable



Die cast grill rack and plate each 21 x 45,5 cm



Chrome lava stone rack



Cup grease trap



2 wheels, robust and waterproof



including lava stones (2kg)



Lava stone grill, 2-flame







((



Performance max.: 7 kW 3,5kW each burner



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 714 g/h max.



Dimension when set up 106 x 82,5 x 54 cm



2 stainless steel burners continuously adjustable



Die cast grill rack and grill plate each 21 x 45,5 cm



Chrome lava stone rack



Grease trap



2 wheels, robust and waterproof



including lava stones (2kg)



including weather protection shell

ARIZONA WOOD













Performance 7 kW $2 \times 3,5$ kW each burner



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 509 g/h max.



Dimension when set up 98,5 x 80 x 50 cm



Height of working surface:



2 stainless steel burners fully adjustable



Die cast grill rack and plate each 21 x 45,5 cm



Chrome lava stone rack



Grease trap



2 wheels robust and waterproof



including lava stones (2kg)

ARIZONA STONE



Item No.: 8540





((



Performance

2 x 3,5kW each burner



Piezo ignition integrated in adjustment knob



including pressure regulator and connecting hose



Consumption 509 g/h max.



Dimension when set up $98,5 \times 80 \times 50$ cm



Height of working surface:



2 stainless steel burners fully adjustable



Die cast grill rack and plate each 21 x 45,5 cm



Chormed lava stone rack



Grease trap



2 wheels, robust and waterproof



including lava stones (2kg)

GASTRO FRYER

Stainless Steel



Item No.: **284315**

3 falmes with enammeled pan

Item No.: **284335**

3 flame with grill rack, flame cover and grease trap

284295

2 flames with grill rack, flame cover and grease trap

Item No.: 284285

2 flames with pan made of steel



2 flames with enammeld pan





Brushed stainless



Dimension when set up 65 x 27 x 55 cm



Performance max: 10 kW



2 burners with 3 rows of burner tubes



Piezo ignition



Chrome grill rack 61 x 49 cm



including pressure regulator and connectinh hose



Safety pilot



Consumption 760 g/h max.



Grease dripping tray



Brushed stainless steel



Performance max: 12 kW



Piezo ignition



including pressure regulator and connecting hose



Consumption 912 g/h max.



Dimension when set up $65 \times 27 \times 55$ cm



3 burners with 3 rows of burner tibes



Safety pilot

ZUBEHÖR





Stainless steel stand for gastro fryer costs of four leg columns with shelf operational Dimension

Dimension when set up (W/D/H): $65 \times 53 \times 80$ cm with fryer $65 \times 53 \times 59$ cm without fryer





Accessory kit for gastro fryer
Consists of grill rack, flame cover and Grease trap





Pan, inside enamelled for gastro fryer

Dimensions (W/D/H): $61 \times 52 \times 5$ cm

Frying surface (W/D): 56 x 46 cm





Side shelves made from stainless steel

two shelves each 29,5 x 49,5 cm

LOS ANGELES

Stainless Steel Funnel-shaped grill Stainless Steel Funnel-shaped grill

LAS VEGAS



Grill rack height adjustable with wooden handles



Sliding air flow regulator and ash tray













Chrome grill rack with wooden handles 34 x 34 cm



Wind screen



Height of working surface

Dimension when

set up 51 x 92 x 38,5 cm



84 - 90 cm





Stainless steel glossy polished



Chrome grill rack with wooden handles



Wind screen



Dimension when set up 61,5 x 89 x 46,5 cm



Height of working surface 81 - 89 cm



MAINE

Funnel-shaped grill



Item No.: **8522**











Dimension when set up 51 x 92 x 38,5 cm



Height of working surface 84 - 90 cm



IOWA

Funnel-shaped grill



Sliding air flow regulator and ash tray



Item No.: **8507**



Chrome grill rack with wooden handles 43 x 43 cm



Wind screen & brazier made of stainless steel



Dimension when set up 61,5 x 89 x 46,5 cm



Height of working surface 81 - 89 cm



UTAH

Stainless Steel Column grill





Stainless steel Glossy polish



Wind screen



Chormed Grill rack with wooden handles Ø 39,5 cm, height adjustable



Warmhalterost Chrome warming rack



Dimension when set up B $53 \times T$ $42 \times H$ 84



Height of working surface 73 - 83 cm



MICHIGAN

Charcoal round grill



ATLANTA

Spherical

Item No.: **8065**

With ash try under a whire shelf Sliding ventilation regulator in brazier and hood





8085

Wind screen



Enamelled brazier



Chrome warming rack



Chrome grill rack with wooden handles / adjustable height Ø 48,5 cm



Dimension when set up 53 x 82 x 63,5 cm



two wheels, robust and waterproof





Grill hood enamelled



Enamelled brazier



Chrome grill rack Ø 44 cm



Dimension when set up 86 x Ø 45 cm



two wheels robust and waterproof

DALLAS

Stainless steel picnic table grill



Item No.: **1392**

Lateral air feed

Wooden carrying handle, when unfolded also serves as pedestal







Can be closed through bent-lever closure







Dimensions closed 42 x 37 x 30 cm

Dimensions open 42 x 51 x 19 cm



DENVER

Swiveling grill

WYOMING

Stainless steel swiveling grill









WISCONSIN

Tri grill can also be used as terrace fire pit



Height of grill rack can be adjusted



Stainless steel holder for grill utensils





Grill rack can be swing to side for simple cleaning of fuel





Stainless steel grill rack Ø 55 cm



available accessory: weather protection cover (Item No. 8151)

stable steel frame and steel grill shell wooden side shelf

Ash tray

ACCESSORIES



Item No.: **8400**

Stainless steel grill utensils 3 pieces, consisting of grill tongs, spatula and fork

Length: each approx. 48 cm



Item No.: **8408**

Stainless steel grill cutlery 3 pieces, consisting of grill tongs, grill prong and grill turner

Length: each approx. 48 cm







Protective covers

Item No. 5059

for models Arizona Art. No. 8540 and 8560

Item No. 5069

for models Florida Art. No. 8552

Art-.No. 5063

for models Gasgrill Manhattan Art. No. 8045 and 8048



1tem No.: 5058 5061

Protective covers

Item No. 5058

for models Kennedy, Lincoln II, Roosevelt, Jefferson

Art-.No. 5061 for models Monroe



Item No.: 1139

Safety pressure regulator

to supply industrial plants according to requirements of RGV D34

Output pressure 50 mbar. Nominal flow 1.5 kg / h. Reduces the gas pressure in two stages. The first stage reduces the cylinder pressure (0.3 to 16 bar) to 0.15 bar. The second stage reduces the pressure of 0.15 mbar to 50 bar. If a defect in the first stage, the second is automatically regulated to 50 mbar, thus protecting the system against accidental overpressure. With 90 $^\circ$ outlet for connection

Required for commercial use!



Item No.:

Line rupture guard

50 mbar / 1,5 kg/h

The line rupture guard chokes off the gas supply in the event of damages or disconnection of the line. This prevents uncontrolled leakage of the gas. The line rupture guard is installed between the pressure regulator and the connection hose.

Required for commercial use!



Item No.:

Profi Gas Kit

consists of Item No. 1139 und Item No. 1515

Required for commercial use!



Item No.: 8009 8042

Motorised grill spit (3-4 rpm)

battery or mains operation possible

Item No. 8009

for Item No.: 8030, 8033, 8005, 8003, 8035

Item No. 8042

for Item No. 8050, 8071 und 8074



Item No.: 8043

Grillhaube mit Thermometer

mit integriertem Wind- bzw. Spritzschutz passend zu "Manhattan S" Art. Nr. 8048



Item No.: 8002

Grill plate

Can be used on both sides.

A smooth side. A grooved side.

Fits to the following grills: Roosevelt, Lincoln 2, Kennedy und Jefferson



Item No.:

8435

Lave rock 2kg





PATIO HEATERS



COSY ECOLINE









Item No.:

5580

Satin brushed stainless steel



Warming range 4,5 m





Warming angle 90 degrees



Performance 2 x 2 kW

Consumption



Height 2,10 m



2 x 146 g/h Running time 1 bruner approx. 76 h 2 burners approx. 38 h (11 kg gas canister)



Powder-coated





Warming range 4,5 m





Consumption



Warming angle 90 degrees

Height 2,10 m



2 x 146 g/h
Running time
1 bruner approx. 76 h
2 burners approx. 38 h
(11 kg gas canister)



COSY COMMERCIAL



Slide-out gas canister tray for simple installation and removal of the gas canister.



Anti-theft system, including chain



Lockable door latch



Wheel set





Satin brushed stainless steel



Wheel set



Performance 5 - 14 kW



Consumption 364 - 1019 g/h Running time 30 - 11 h (11 kg gas canister)



Warming range Ø 10 m



Height 230 cm



Electronic Piezo ignition



Hinged door lockable



Can be lowered to approx 155 cm for transport and storage



Reflector Ø 88 cm



COSYSTAND WOOD S





- Body made of FSC Wood
- Treated with oil
- UV-resistant and weatherproof
- Cylinder cap, base screen, column made of powder-coated steel.







Cylinder cap, base screen, column made of powder-coated steel



Wheel set



Performance 3 - 8 kW



Consumption max. 582 g/h Running time 50 - 19 h (11 kg gas canister)



Warming range Ø 9 m



Height 230 cm



manual Piezo ignition



Wooden door with magnetic latch



Reflector



COSYSTAND RATTAN S



Item No.: **5495**



- Body made of waterproof, easy care rattan imitation
- UV-resistant and weatherproof
- Cylinder cap, base screen made of powder-coated steel



Cylinder cap, base screen made of powder-coated steel



Wheel set



Performance



Consumption max: 582 g/h Running time 50-19 h (11kg gas canister)



Warming range Ø 9 m



Height 230 cm



manual Piezo ignition



Reflector Ø 76 cm



COSYSTAND TRENDSTYLE S

Item No.:

5450





- Drinks table
- UV-resistant and weatherproof
- Column and base columns: powder-coated steel
- Can be lowered to approx. 155 cm for transport and storage





Wheel set integrated



Performance 3 - 8 kW



Consumption max. 582 g/h Running time 50 - 19 h (11 kg gas canister)



Warming range Ø 9



Height 220 cm



Can be lowered to approx. 155 cm for transport and storage



Reflector Ø 76 cm



COSYSTAND PROFIS

Cosystand PROFI S Stahl.

Cosystand PROFI S Edelstahl.





Wheel set



Performance 3 - 8 kW



Consumption max 582 g/h Running time 50 - 19 h (11 kg gas canister)



Warming range Ø 9 m



Height 220 cm



Hinged door



Can be lowered to approx. 155 cm for transport and storage



Reflector Ø 76 cm



COSYSTAND ELEGANCE SR





Art. 9376 Cylinder and column Glossy stainless steel



Art. 9276
Cylinder and column
powder-coated steel



Wheel set



Performance 3 - 8 kW



Consumption max. 582 g/h Running time: 50 - 19 h (11 kg gas canister)



Warming range Ø 9 m



Height 220 cm



Cylinder shroud



Reflector Ø 76 cm



COSY POLO EDELSTAHL





- Aluminium wind screen
- Cover plate made of heat-reflecting material



Item No.: **5372**



Cylinder and hinged door brushed stainless steel



Base powder-coated steel



Trolley (for transport only)



Performance 3 - 6 kW



Consumption 218 - 437 g/h Running time 50 - 25 h (11 kg gas canister)



Warming range Ø 5 m



Base Ø 38.5 cm Height 115 cm



Hinged door

PATIO HEATER COVERS







Item No.: **5050**

5065

Item No.:

Item No.: **5066**

Weather protection cover for patio heaters "Cosystand"

fits to the following ENDERS patio heaters: "Classic", "Elegance" and "Profi"

with zipper, Velcro fastener and bottom drawcord weather-resistant

UV stabilized, weathering-resistant, durable and washable

Weather protection cover for burners

fits to the ENDERS patio heaters with a reflector diameter of max. 76 cm.

Weather protection cover for patio heaters "Trendstyle"

with zipper, Velcro fastener and bottom drawcord

UV stabilized, weathering-resistant, durable and washable

All Covers protect against the weather and made of 210D polyester. They adapt to the contour of the patio heater.







Item No.: **5060**

Item No.: **5070**

Item No.:

5056

Weather protection cover for patio heaters "Cosystand"

fits to the following ENDERS patio heaters: Wood, Commercial, Rattan, Style

through the drawstrings the cover adapt to the contour of the patio heater

UV stabilized, weathering-resistant, durable and washable

made of tear-proof 210D polyester.

All covers protect against the weather.

Weather protection cover for patio heaters "Ecoline"

with zipper

made of tear-proof 210D polyester

Weather protection cover for patio heaters "Casypolo"

Made of PVC, weather-resistant, durable and washable



Item No.: 1139

Safety pressure regulator

to supply industrial plants according to requirements of RGV D34

Output pressure 50 mbar. Nominal flow 1.5 kg / h. Reduces the gas pressure in two stages. The first stage reduces the cylinder pressure (0.3 to 16 bar) to 0.15 bar. The second stage reduces the pressure of 0.15 mbar to 50 bar. If a defect in the first stage, the second is automatically regulated to 50 mbar, thus protecting the system against accidental overpressure. With 90 $^{\circ}$ outlet for connection

Required for commercial use!



Item No.:

Line rupture guard

50 mbar / 1,5 kg/h

The line rupture guard chokes off the gas supply in the event of damages or disconnection of the line. This prevents uncontrolled leakage of the gas. The line rupture guard is installed between the pressure regulator and the connection hose.

Required for commercial use!



Item No.:

Profi Gas Kit

consists of Item No. 1139 und Item No. 1515


Required for commercial use!






Insulator reflector

Fits to all ENDERS patio heaters (except Polo).
Double reflector 88 cm made of aluminium with space
Reduces top-side heat loss. The insulting reflector allows
the patio heater to be operated at minimal distances
from awnings and parasols.









Glas table

height-adjustable with plastic adapter.

suitable for all patio heaters with an tube diameter of 5 cm (Elegance S, Item No. 9305, 9376, 9276 Classic, Item No. 5305 Wood S, Item No. 5526 Rattan S, Item No. 5495)

safety glass, 6cm table diameter 37cm





CAMPING ARTICLES





MELBOURNE ZE

Stainless steel camping stove, 3-flame







Item No.: 1755















Item No. 1765 Body and Iid made of brushed stainless steel



Consumption: max. 538 g/h



Performance



Dimensions (W/D/H): $60 \times 29,5 \times 10$ cm



Item No. 1755 Body and lid made of stainless steel



Consumption max. 359 g/h



Performance



Dimensions (W/D/H): 49,5 x 29,5 x 10 cm

Propane/Butane 50 mbar with thermoelectric safety pilot

- incl. 80 cm connection hose
- chrome pan rack
- burner lid made of stainless steel
- our feet height adjustabledetachable lid



MELBOURNE Z

Camping stove, 3-flame

MELBOURNE Z

MELBOURNE

Item No.: 1761

with thermoelectric safety pilot

Item No.: 1760

without thermoelectric safety pilot















Item No. 1761 Body and lid made of powder coated steel



Consumption max. 538 g/h



Performance



Dimensions (W/D/H): $60 \times 29,5 \times 10$ cm

with safety pilot



Item No. 1760 Body and lid made of powder coated steel



Consumption max. 538 g/h



Performance



Dimensions (W/D/H): $60 \times 29,5 \times 10$ cm

Propane/Butane 50 mbar

- Chrome pan rack
 burner lid made of stainless steel
 four feet height adjustable
 detachable lid

• incl. 80 cm connection hose



SYDNEY Z
Camping stove, 2-flame

SYDNEY Z

SYDNEY



with thermoelectric safety pilot





Item No.: 1750

without thermoelectric safety pilot

SYDNEY

Item No.: 1770

without thermoelectric safety pilot without burner lid without adjustable feet













Body and lid made of powder coated steel



Consumption max. 359 g/h



Performance



Dimensions (W/D/H): 49,5 x 29,5 x 10 cm

Propane/Butane 50 mbar

- incl. 80 cm connection hose
- chrome pan rack
- burner lid made of stainless steel
- our feet height adjustabledetachable lid

OLYMP

Cartridge gas cooker







Item No.:

6510

For use with

"Enders" self-sealing cartridge Item No. 6300 (sold separately)

Two-tone casing made of impact-resistant plastic

Consumption: max. 97,5 g/h

Operating time: min. 165 Min./190 g

Performance: 1300 Watt

Height: 22 cm

Diameter: 13,4 cm

Item No.:

6300

Self-sealing cartridges 190 g

Propane/Butane mix

For use with all common cartridge devices that use self-sealing cartridges of this type (EN 417)

ENDERS TREKKING SET



Item No.:

6430

Consists of:

1 x "Shine" battery powered lamp Height 20,5 cm without handle, \varnothing 9,3 cm, 5 Watt (Item No. 6840) incl. batteries

1 x "Olymp" cartridge cooker (Item No. 6510)

1 x Gas cartridges 190 g (Item No. 6300)

More information about the individal products can be found in the respective article descriptions.

ACCESSORIES




Safety pressure regulator

to supply industrial plants according to requirements of BGV D34. Output pressure 50 mbar. Nominal flow 1.5 kg / h. Reduces the gas pressure in two stages.


The first stage reduces the cylinder pressure (0.3 to 16 bar) to 0.15 bar. The second stage reduces the pressure of 0.15 mbar to 50 bar. If a defect in the first stage, the second is automatically regulated to 50 mbar, thus protecting the system against accidental overpressure. With 90 $^\circ$ outlet for connection

Required for commercial use!






The line rupture guard chokes off the gas supply in the event of damages or disconnection of the line. This prevents uncontrolled leakage of the gas. The line rupture guard is installed between the pressure regulator and the connection hose.



Required for commercial use!



Required for commercial use!



SHINE

Battery powered lamp



Item No.: **6840**

for use with four D batteries (sold separately)

Casing made of impact-resistant plastic, resistant to splashing water, with foldable carrying and hanging clip, with energy saving bulb

Performance: 5 Watt

Burning length: approx. 20 hours

FLYING BUG ZAPPER



Item No.: 6868

Completely harmless application.

Flying insects are electrocuted. Works without chemicals, spraying, adhesive strips, etc.
No troublesome cable during operation.
With 6 volt battery for recharging over 230 V or 12 V (cigarette lighter). Casing made of impact-resistant plastic. Resistant to splashing water.

Performance: 4 Watt

Operating time: approx. 8 hours per battery charge

Melamine picnic set cut-resistant, dishwasher safe, unbreakable









Melamine picnic set · cut-resistant · dishwasher safe · unbreakable Consisting of 4 mugs 4 dinner plates
4 soup bowls
4 cereal tray

64









Melamine picnic set

- · cut-resistant · dishwasher safe · unbreakable

Consisting of

- 4 mugs
 4 dinner plates
 4 soup bowls
 4 cereal tray

Aluminium cooking setz





"Olympia III"

Aluminium cooking set **5** piece

The kettle fits into the stacked pots.

Weight: 850 g Pan: ∅ 19 cm Pot: 2.5 l ∅ 18 cm Pot: 2.0 l ∅ 17 cm Kettle: 1.5 l

Pot handle, stuff sack

The practical set made of aluminium, shines through stable quality and light weight.

"Gourmet"

Aluminium cooking set, anti-stick coating, 10 piece

Weight: 2,000 g
Covered pan: Ø 22 cm,
with 2 handles
Pan: Ø 20 cm
Stainless steel pot:
2.5 | Ø 20 cm,
with steel cover
Stainless steel pot:
6.0 | Ø 22 cm,
with steel cover
Saucepan: 14 cm
Carrying and locking belt
(no illustration)

This 10-piece cooking set will help turn camp food into delicacies. It makes it easy to conjure up a complete menu. The set can be stacked nested and is held together for transport with the included belt.

Material: Pots from aluminium, green enamelling on exterior, anti-stick coating on inside, stainless

CAMPINGARTIKEL

Picknickrucksack, Picknickdecke, Wasserkanister



Item No.: **75651**

"Prärie"

Picnic rucksack blue

With insulated compartment for food and drinks, insulated bottle holder, removable

- 4 plastic plates, Ø 22.5 cm
- 4 plastic wine glasses 0.25 l
- 4 stainless steel spoons with plastic handles
- 4 stainless steel forks with plastic handles
- 4 stainless steel knives with plastic handles
- 4 textile napkins
- 1 corkscrew with knife and bottle opener
- 1 bread knife, 1 plastic storage box
- 1 wooden cutting and serving board
- 1 salt & pepper shaker



Item No.: **7675**

Picnic blanket

bottom insulated against moisture and cold, with carrying handle and Velcro

Upper material: Acrylic Bottom material: PVC Filling: foam

Colour: blue / red / green mix Size: 170 x 130 cm



Item No.: **7599**

Water canister

The canister is made of highly durable material, allowing it to be folded up easily and small after use. Food safe, with stable handle and practical tap.

MOBILE-WC DELUXE"

Freshwater Flush toilet




CARAVANING
DESIGN AWARD 2010/2011
INNOVATIONS FOR NEW MOBILITY



Easy filling of the waste water add.



Easy filling of the fresh water add.



Filling level indication



Effective plunger pump



Separating and transport of fresh- and waste water tank is very easy.



Integrated transport roller

Item No.: 4950

Extremely smooth, easy-care surface made of hygienic plastic.

Special features: Pressure control valve, automatic ventilation push button to ensure clean removal of the faecal material, level display, swivelling faecal outlet pipe.

Weight: 3,8 kg Freshwater tank: 16 l Wastewater tank: 19 l

Dimensions (H/W/D): $36.7 \times 38 \times 44.6$ cm

ACCESSORIES





ENSAN GREEN 1,0 I Sanitary concentrate for wastewater tanks

- Pour ENSAN GREEN into the wastewater tank of your toilet.
- ENSAN GREEN is an environmentally friendly sanitary liquid and its ingredients are biodegradable.
- Protects slider and sealant.
- Helps to break down faecal material and toilet paper.
- Prevents the build-up of unpleasant odours.
- Forest Fresh
- One litre of ENSAN GREEN is sufficient for around 130 I of wastewater.





ENSAN RINSE 1,0 I Sanitary concentrate for water tanks

- High quality sanitary concentrate for water tanks.
- Is added to the rinse water and ensures clean flushing thus cleansing the bowl and the slider with every flush.
- Removes scale, prevents chalk build-up and ensures that the stop valve works perfectly.
- Protects all rubber sealants, removes unpleasant odours and reduces the build-up of gas.
- ENSAN RINSE provides comfortable, long-lasting freshness.





ENSAN-BLUE 2,5 I Sanitary concentrate for wastewater tanks

- Effective sanitary concentrate for wastewater tanks.
- Helps to break down faecal material and toilet paper.
- Prevents unpleasant odours and reduces the build-up of gas.
- 2,5 litre of ENSAN BLUE is sufficient for around 250 litres of wastewater.





ENSAN-BLUE 5,0 I Sanitary concentrate for wastewater tanks

- \bullet Effective sanitary concentrate for wastewater tanks.
- Helps to break down faecal material and toilet paper.
- Prevents unpleasant odours and reduces the build-up of gas.
- 5 litre of ENSAN BLUE is sufficient for around 500 litres of wastewater.





"SOFT-WC-PAPIER" special toilet paper with fast decomposing properties

4 roll bags, 3-ply, extremely soft and strong, 350 sheets per roll, Sheet dimensions 9,5 x 11 cm





ALUMINIUM BOXES



ALUMINIUM BOX "CLASSIC"

29 - 47 - 63 - 80 - 130 L



Foam rubber seal



Deckelstopper



Lock which protects keyhole from picklocks able to be inserted



Safety carrying handles



Two safety carrying handles at the sides A handle at the front of plastic

Lever-type clamping closures able to be sealed with leads

Lock which protects keyhole from picklocks able to be inserted

Bottom set back relative to base

Foam rubber seal in the lid

Dustproof and splashproof

Rigid framework structure giving high level of dimensional stability

Stackable with the aid of restrictions in the lid

Item No. 3888 Weight: 2,95 kg 29 I volume

External dimensions (W/D/H): 45,7x31,7x26,2 cm Internal dimensions (W/D/H): 42,7x29,5x23,0 cm

Material thickness: 0,8 mm

Item No. 3890 47 I volume

Weight: 3,6 kg

External dimensions (W/D/H): 58,5x38,5x26,5 cm Internal dimensions (W/D/H): 55,7x35,8x23,0 cm

Material thickness: 1,0 mm

80 I Volume Item No. 3900

Weight: 5,0 kg

External dimensions (W/D/H): 69,0x45,5x32,0 cm Internal dimensions (W/D/H): 66,8x42,8x28,5 cm Material thickness: 1,0 mm

Item No. 3910 130 I Volume

Weight: 6,6 kg
External dimensions (B/T/H): 80,0x54,0x36,5 cm Internal dimensions (B/T/H): 77,5x51,0x33,0 cm Material thickness: 1,0 mm

Item No. 3893 63 I volume

Weight: 4,2 kg

External dimensions (W/D/H): 56,8x37,7x36,0 cm Internal dimensions (W/D/H): 54,2x35,3x32,5 cm

Material thickness: 1,0 mm

ALUMINIUM BOXES "CLASSIC" SET's

29 + 63 L

47 + 80 L

47 + 80 + 130 L









Item No. 3903 Aluminiumboxes 2 - Set 29 | and 63 | volume

Item No. 3902 Aluminiumboxes 2 - Set 47 I amd 80 I volume

Item No. 3915 Aluminiumboxes 3 - Set 47, 80 and 130 I volume Matching accessories for all Enders aluminium boxes:

Item No. 3585
Rollenset
consisting of
4 castors each with locking device

Item No. 3750 Cylinder locks 2 pieces

ALUMINIUMBOX "OFFEN"

30 + 50 + 80 + 120l









Rigid framework structure giving high level of dimensional stability.

Boxes of one size are stackable.

Various sizes can be stored in each other.

Item No. 3630 30 I volume External dimensions (W/D/H): $47.2 \times 32.2 \times 24.0$ cm Internal dimensions (W/D/H): $44.0 \times 22.0 \times 21.6$ cm Material thickness: 0.8 mm

Item No. 3634 50 I volume External dimensions (W/D/H): $55,2 \times 39,2 \times 28,6$ cm Internal dimensions (W/D/H): $52,0 \times 36,0 \times 26,2$ cm Material thickness: 0,8 mm

Item No. 3640 80 I Volume External dimensions (W/D/H): $63.2 \times 45.2 \times 33.2$ cm Internal dimensions (W/D/H): $60.0 \times 42.0 \times 30.7$ cm Material thickness: 1.0 mm

| Item No. 3645 | 120 | Volume | External dimensions (W/D/H): | 71,2 × 51,2 × 37,8 cm | Internal dimensions (W/D/H): | 68,0 × 48,0 × 35,4 cm | Material thickness: 1,0 mm

ALUMINUM BOX SET OFFER

30 + 50 + 80 + 120l



Item No. 3625 Aluminiumboxen 4er-Set Aluminiumboxes 4 - Set 30 + 50 + 80 + 120 I Volume

2011

Enders Colsman AG

Brauck 1 D-58791 Werdohl www.enders-colsman.de info@enders-colsman.de Enders UK Ltd

Unit 17 Glenmore Business Centre Range Road Witney Oxon OX290AA Great Britain

Tel.: +44 1993 708495 Fax: +44 1993 704020 **Enders USA LLC**

1784 Poplar Drive 29651 Greer, SC USA

Tel.: +001 864 331 2330 Fax: +001 864 331 2331 Order precessing/ Orders

Tel.: +49 2392 / 97 82 - 31 Fax: +49 2392 / 97 82 - 70 bestellungen@enders-colsman.de

Processing of a complaint

Tel.: +49 2392 / 97 82 - 30 Fax: +49 2392 / 97 82 - 70 service@enders-colsman.de

© Enders Colsman AG - 2010 - we reserve the right of technical changes and corrections based on shape, color and function.

Photo credits: cover, Brand X Pictures, Getty Images - all other images Enders Colsman AG - Usage without prior permission is not allowed.